

Parts Manual for

SNAPPER®



REAR ENGINE RIDER HYDRO DRIVE RT SERIES 0

| MODEL |
|--------------------------|
| RT1330 (2690172) |
| RT1330E (2690173) |



SNAPPER® McDonough, GA, 30253 U.S.A.


| PAGE | GROUP |
|-------------|--|
| 4 | Wheels & Tires Group |
| 6 | Front Column & Dash Group |
| 10 | Steering & Lift Group |
| 12 | Frame & Fuel System Group |
| 16 | Transmission Group - Hydro-Gear 340-0510 |
| 20 | Engine Group - 13HP Briggs & Stratton Intek |
| 24 | 30" Mower Deck - Housing & Height Adjustment |
| 28 | 30" Mower Deck - Drive & Arbor |
| 30 | Decals Group |
| 32 | Electrical Group |



Wheels & Tires Group

| Item | Part No | Qty | Description | Note |
|-------------|----------------|------------|--|-------------|
| 1 | 1729279 | 2 | KEY, Square, 3/16 x 3/16 x 1-1/2 long | |
| 2 | 1723171 | 2 | REAR WHEEL & TIRE ASSEMBLY, Hoosier, (Includes Ref. Nos. 3, | |
| 3 | 2860202 | 6 | WASHER, 3/4 | |
| 4 | 1717451 | 2 | SPACER | |
| 5 | 1960114 | 2 | WASHER | |
| 6 | 2172353 | 4 | VALVE STEM & CAP | |
| 7 | 1723400 | 2 | REAR WHEEL ASSEMBLY, Metallic Gray | |
| 8 | 1723399 | 2 | TIRE, Rear Wheel, 16 X 6.50-8 | |
| 9 | 2164247 | 2 | TUBE, Rear Wheel | |
| 10 | 3031418 | 2 | E RING | Was 927794 |
| 11 | 1722675 | 4 | HUB CAP, Silver | |
| 12 | 1723170 | 2 | FRONT WHEEL & TIRE ASSEMBLY, Hoosier, 13 x 5.00-6, Metallic | |
| 13 | 1723402 | 2 | FRONT WHEEL ASSEMBLY 13 x 5.00-6, Metallic Gray (Includes Re | |
| 14 | 1723401 | 2 | TIRE, Front Wheel, 13 x 5.00-6 | |
| 15 | 1664090 | 2 | TUBE, Front Wheel, 4.10/3.50 x 6 | |
| 16 | 1611710 | 2 | KLIP RING | |


Footnotes:



Front Column & Dash Group

| Item | Part No | Qty | Description | Note |
|------|----------|-----|--|-------------|
| 1 | 1713841 | 1 | STEERING WHEEL ASSEMBLY (Includes Ref. No. 49) | |
| 2 | 1960540 | 1 | ROLL PIN | |
| 3 | 1678381 | 1 | TUBE, Steering | |
| 4 | 2816001 | 1 | PIN | |
| 5 | 1960160 | 3 | WASHER, 49/64 | |
| 6 | 2176440 | 2 | BUSHING | |
| 7 | 1709229 | 1 | TUBE ASSEMBLY, Shift | |
| 8 | 7090705 | 2 | WASHER | Was 1960170 |
| 9 | 1704428 | 2 | BUSHING | |
| 10 | 7091587 | 1 | WASHER, Plain, 17/32 x 1-1/4 x 7/64 | Was 1924361 |
| 11 | 1707424 | 1 | SPRING, Torsion | |
| 12 | 1918447 | 2 | COTTER PIN | |
| 13 | 1707375 | 1 | ROD, Shift | |
| 14 | 1713843 | 1 | KNOB, Rod, Shift | |
| 15 | 1960114 | 1 | WASHER, Plain, 11/32 x 1 x 1/8 | |
| 16 | 1706014 | 1 | SHAFT ASSEMBLY, Steering | |
| 17 | 2173668 | 1 | WASHER, Plain | |
| 18 | 1931350 | 2 | CARRIAGE BOLT, 3/8-16 x 1 | |
| 19 | 1703508A | 1 | PLATE, Steering Mounting | |
| 20 | 1928352 | 2 | NUT, Hex, 3/8-16 | |
| 21 | 7091540 | 1 | CAPSCREW, Hex Head, 5/16-18 x 1-1/2 | Was 1921221 |
| 22 | 3031355 | 1 | NUT, Hex, Flange Lock, 3/8-16 | Was 1960339 |
| 23 | 1924356 | 3 | WASHER, 13/32 x 1-1/2 x 1/8 | |
| 24 | 1708426 | 1 | GEAR, Steering | |
| 25 | 1666332 | 1 | SPACER | |
| 26 | 1923701 | 1 | CAPSCREW, Hex Head, 3/8-16 x 2 | |
| 27 | 1714081 | 1 | DASH, Hydro | |
| 28 | 1714082 | 1 | DASH, Gear | |
| 29 | 1925592 | 3 | CAPSCREW, Hex, Flange, Taptite, 1/4-20 x 3/4 | |
| 30 | 1713855 | 1 | KNOB, Rod, Parking Brake | |
| 31 | 1707057 | 1 | ROD, Parking Brake | |
| 32 | 1933988 | 2 | PUSH NUT, 5/16 | |
| 33 | 1931277 | 2 | NUT, Hex, Flange, Whizlock, 5/16-18 | |
| 34 | 1708965 | 1 | QUADRANT, Lift | |
| 35 | 1925003 | 3 | CAPSCREW, Hex Head, Taptite, 1/4-20 x 1/2 | |
| 36 | 1709075 | 2 | CLAMP | |
| 37 | 1921319 | 2 | WASHER, Plain, 1/4 | |


Footnotes:



Front Column & Dash Group

| Item | Part No | Qty | Description | Note |
|-------------|----------------|------------|---|-------------|
| 38 | 1924009 | 2 | CAPSCREW, Hex Head, 1/4-20 x 7/8 | |
| 39 | 1960608 | 1 | NUT, Hex, Flange Centerlock, 1/4-20 | |
| 40 | 1678392 | 3 | SPACER, 17/64 x 3/8 x 21/64 | |
| 41 | 1930591 | 6 | CAPSCREW, Hex Head, Whizlock, 5/16-18 x 3/4 | |
| 42 | 1708990A | 1 | SUPPORT, Steering | |
| 43 | 1708267D | 1 | SHROUD, Front (Red) | |
| 44 | 1935255 | 4 | PAL NUT, 5/16-18 | |
| 45 | 1708971 | 1 | ROD, Lift Height | |
| 46 | 1917421 | 2 | NUT, Hex, Jam, 1/4-20 | |
| 47 | 1713857 | 1 | KNOB, Rod, Lift Height | |
| 48 | 1930641 | 2 | NUT, Hex, Flange, Whizlock, 1/4-20 | |
| 49 | 1714097 | 1 | CAP | |


Footnotes:



Steering & Lift Group

| Item | Part No | Qty | Description | Note |
|------|----------|-----|------------------------------------|-------------|
| 1 | 1930645 | 1 | NUT, Hex, 3/8-16 | |
| 2 | 2108512 | 1 | PIVOT | |
| 3 | 1708955A | 1 | ARM ASSEMBLY, Lift | |
| 4 | 1708966 | 1 | GRIP, Lever | |
| 5 | 1708557A | 1 | LEVER, Lift | |
| 6 | 1708884 | 1 | SPRING, Compression | |
| 7 | 7090122 | 3 | WASHER, Plain, 13/32 x 7/8 x 5/64 | Was 1924940 |
| 8 | 1918447 | 3 | COTTER PIN, 3/32 x 3/4 | |
| 9 | 1708556 | 1 | CABLE ASSEMBLY, Lift | |
| 10 | 1919439 | 1 | NUT, Hex, Esna Lock, 3/8-16 | |
| 11 | 1708559 | 1 | PULLEY, Lift | |
| 12 | 1708973 | 1 | SPACER | |
| 13 | 1924356 | 1 | WASHER, Plain, 13/32 x 1-1/2 x 1/8 | |
| 14 | 1921969 | 1 | CAPSCREW, Hex Head, 3/8-16 x 1-1/2 | |
| 15 | 1930645 | 1 | NUT, Hex, Flange Lock, 3/8-16 | |
| 16 | 1708514 | 1 | ECCENTRIC | |
| 17 | 1922755 | 1 | WASHER, 13/32 x 7/8 x 1/8 | |
| 18 | 1921971 | 1 | CAPSCREW, Hex Head, 3/8-16 x 1-3/4 | |
| 19 | 1706011 | 1 | SPINDLE ASSEMBLY, LH | |
| 20 | 1935048 | 3 | NUT, Hex, Flange Lock, 5/16-18 | |
| 21 | 1960236 | 2 | SPACER | |
| 22 | 1611710 | 2 | KLIP RING | |
| 23 | 1931335 | 2 | CARRIAGE BOLT, 5/16-18 x 1 | |
| 24 | 1708501A | 1 | TIE ROD, LH | |
| 25 | 1919381 | 1 | WASHER | |
| 26 | 1710703 | 1 | SPACER, 21/64 x 1/2 x 5/8 | |
| 27 | 7090705 | 2 | WASHER | Was 1960170 |
| 28 | 1708516A | 1 | LEVER | |
| 29 | 1708521 | 1 | ROD, Hitch | |
| 30 | 1920328 | 2 | CAPSCREW, Hex Head, 1/2-13 x 1-1/2 | |
| 31 | 1709237A | 1 | HITCH, Hook | |
| 32 | 1709235 | 2 | SPACER | |
| 33 | 1930644 | 2 | NUT, Hex, Flange Lock, 1/2-13 | |
| 34 | 1706019 | 1 | SPINDLE ASSEMBLY, RH | |
| 35 | 1708500A | 1 | TIE ROD, RH | |


Footnotes:



Frame & Fuel System Group

| Item | Part No | Qty | Description | Note |
|------|----------|-----|--|-------------|
| 1 | 1921333 | 2 | CAPSCREW, Hex Head, 5/16-18 x 1 | |
| 2 | 1925003 | 8 | CAPSCREW, Hex Head, Taptite, 1/4-20 x 1/2 | |
| 3 | 1715962A | 1 | SHROUD, Rear | |
| 4 | 1931277 | 5 | NUT, Hex, Flange, Whizlock, 5/16-18 | |
| 5 | 1726558A | 1 | SUPPORT, Fuel Tank | |
| 6 | 1931333 | 1 | CARRIAGE BOLT, 5/16-18 x 3/4 | |
| 7 | 1708362A | 1 | STRAP, Fuel Tank, Brace | |
| 8 | 1714020 | 1 | CAP, Fuel Tank, Vented | |
| 9 | 1726635 | 1 | TANK, Fuel | |
| 10 | 1710437 | 1 | SPACER, 21/64 x 1/2 x 21/64 | |
| 11 | 7090122 | 1 | WASHER, Plain, 13/32 x 7/8 x 5/64 | Was 1924940 |
| 12 | 1960373 | 1 | CAPSCREW, Hex, Taptite, 5/16-18 x 1 Black (13 HP Models) | |
| 13 | 1726400 | 1 | BUSHING, Rubber | |
| 14 | 1674792 | 1 | ELBOW, Fitting with Screen | |
| 15 | 2860112 | 2 | CLAMP, Hose | |
| 16 | 1718678 | 1 | HOSE, Fuel Line | |
| 17 | 1960044 | 2 | WASHER, Plain | |
| 18 | 1933988 | 2 | PUSH NUT, 5/16 | |
| 19 | 1930591 | 10 | CAPSCREW, Hex Head, Whizlock, 5/16-18 x 3/4 | |
| 20 | 1708525 | 1 | PAD, Foot Rest, LH | |
| 21 | 1727222A | 1 | FRAME ASSEMBLY | |
| 22 | 1708524 | 1 | PAD, Foot Rest, RH | |
| 23 | 1704351 | 14 | FASTENER | |
| 24 | 1727685A | 1 | PANEL, Front | |
| 25 | 1935255 | 4 | PAL NUT, 5/16-18 | |
| 26 | 1726563A | 1 | SUPPORT, U , Seat (13 HP Models) | |
| 27 | 1715970 | 2 | BUMPER, Rubber | |
| 28 | 1924856 | 1 | CAPSCREW, Hex Head, Taptite, 5/16 x 1/2 | |
| 29 | 1708725A | 1 | DUCT, Air Inlet (13 HP Models) | |
| 30 | 1704626 | 2 | SPACER, Plastic | |
| 31 | 1705249 | 2 | SPACER | |
| 32 | 1704628 | 2 | PIN, Quick | |
| 33 | 1705248 | 2 | PIVOT, Hood | |
| 35 | 1917356 | 4 | WASHER | |


Footnotes:



Frame & Fuel System Group

| Item | Part No | Qty | Description | Note |
|------|----------|-----|--|-------------|
| 36 | 7091540 | 1 | CAPSCREW, Hex Head, 5/16-18 x 1-1/2 | Was 1921221 |
| 37 | 1917372 | 1 | NUT, Hex, 5/16-18 | |
| 38 | 1921977 | 1 | CAPSCREW, 5/16-18 x 1-1/4 | |
| 39 | 1703900 | 1 | SPACER | |
| 40 | 2860208 | 2 | WASHER, 1 | |
| 41 | 1708881 | 1 | CAP, Black, Vinyl | |
| 42 | 1725532A | 1 | ADJUSTER, Seat | |
| 43 | 1667286 | 1 | SPRING, Extension | |
| 44 | 1725531A | 1 | SUPPORT, Seat | |
| 45 | 1708511 | 4 | SPACER | |
| 46 | 1725486 | 1 | SEAT ASSEMBLY | |
| 47 | 1726649 | 1 | DECK, Seat, Red | |
| 48 | 1673320 | 3 | RIVET | |
| 49 | 1708504 | 1 | SCREEN, Seat Deck Top | |
| 50 | 1960295 | 7 | CAPSCREW, Hex Head, Whizlock, 1/4-20 x 5/8 | |
| 51 | 1930642 | 7 | NUT, Hex, Flange Lock, 1/4-20 | |
| 52 | 1919381 | 1 | WASHER, 5/16 | |
| 53 | 1960715 | 4 | SCREW, Truss Head, 1/4-20 x 3/4 | |
| 55 | 1726836A | 1 | PLATE, Control | |
| 56 | 1724598 | 1 | SCREEN | |
| 57 | 1919381 | 4 | WASHER, 11/32 x 1 x 1/8 | |
| 58 | 1920397 | 1 | NUT, ESNA 1/4-20 | |


Footnotes:



Transmission Group - Hydro-Gear 340-0510

| Item | Part No | Qty | Description | Note |
|------|----------|-----|---|------|
| 1 | 1704849 | 1 | PAD, Brake | |
| 2 | 1723348A | 1 | LEVER, Clutch | |
| 3 | 1708409 | 1 | PIVOT, Brake | |
| 4 | 1708554 | 1 | RING, Klipring Extension | |
| 5 | 2171241 | 1 | KEY, Hi-Pro | |
| 6 | 1704419 | 2 | STOP, Belt | |
| 7 | 1723497 | 1 | PULLEY & HUB ASSEMBLY, Engine | |
| 8 | 1707346 | 1 | V - BELT (4L 42.0 ET KEV) | |
| 9 | 1715025 | 2 | BUSHING | |
| 10 | 1924361 | 2 | WASHER, 1/2 | |
| 11 | 1703805 | 1 | RING, Klipring Extension | |
| 12 | 1931342 | 1 | CARRIAGE BOLT, 5/16 - 18 x 2-1/4 G5 | |
| 13 | 1708367 | 2 | BRACKET, Torsion Bar | |
| 14 | 1924856 | 4 | SCREW, Hex, Washer Head, Taptite, 5/16 - 18 x 1/2 | |
| 15 | 2159106 | 1 | SPRING, Extension | |
| 16 | 1709345 | 1 | SPACER | |
| 17 | 1930641 | 1 | NUT, Hex, Flange, 1/4 - 20, Whiz Lock LG | |
| 18 | 1725839A | 1 | PLATE, Idler 10GA | |
| 19 | 1709221 | 2 | CLEVIS HALF | |
| 20 | 1924366 | 1 | WASHER, 5/8 | |
| 21 | 1919326 | 5 | WASHER, 5/16 | |
| 22 | 1917356 | 1 | LOCKWASHER, Spring 5/16 | |
| 23 | 1917372 | 1 | NUT, Hex 5/16 - 18 | |
| 24 | 1923341 | 1 | CAPSCREW, Hex Head, 1/4 - 20 x 3/4 G5 | |
| 25 | 1927429 | 1 | SCREW, Hex, Washer Head, Taptite, 1/4 - 20 x 5/8 | |
| 26 | 1928352 | 2 | NUT, Hex Flange,, 3/8 - 16 Whiz Lock LG | |
| 27 | 1928731 | 1 | NUT, Hex, Toplock, Jam, 3/8 - 16 | |
| 28 | 1725250 | 1 | SPRING, Extension | |
| 29 | 1922918 | 1 | CAPSCREW, Hex Head, 3/8 - 16 x 3-1/4 G5 | |
| 30 | 1668827 | 1 | PULLEY | |
| 31 | 1708352A | 1 | GUARD, Spring | |
| 32 | 1725838 | 1 | SPACER | |
| 33 | 1930644 | 1 | NUT, Hex Flange, 1/2 - 13, Two-Way Lock | |
| 34 | 1924361 | 1 | WASHER, 1/2 | |
| 35 | 1719683 | 1 | SPACER | |
| 36 | 1921176 | 1 | CAPSCREW, Hex Head, 1/2 - 20 x 1-1/4 G5 | |
| 37 | 1923114 | 1 | CAPSCREW, Hex Head, 1/2 - 13 x 1 G5 | |


Footnotes:



Transmission Group - Hydro-Gear 340-0510

| Item | Part No | Qty | Description | Note |
|------|----------|-----|---|------|
| 38 | 1719725 | 1 | SPACER | |
| 39 | 1931332 | 1 | CARRIAGE BOLT, 5/16 - 18 x 5/8 G5 | |
| 40 | 1726591A | 1 | CARRIER ASSEMBLY | |
| 41 | 1726554A | 1 | BRACKET, Switch Mounting (No-Mow Models Only) | |
| 42 | 1960252 | 2 | CARRIAGE BOLT, 1/4 - 20 x 5/8 G5 (No-Mow Models Only) | |
| 43 | 1931277 | 3 | NUT, Hex Flange, 5/16 - 18, Whiz Lock Small | |
| 44 | 1726555A | 1 | STRAP, Torque (No-Mow Models Only) | |
| 44 | 1726555A | 1 | STRAP, Torque | |
| 45 | 1960694 | 2 | NUT, Hex Flange, 1/4 - 20 ESNA (No-Mow Models Only) | |
| 46 | 1725183 | 1 | ROD | |
| 47 | 1921719 | 4 | CAPSCREW, Hex Head, 5/16 - 18 x 2-1/2 G5 | |
| 48 | 1725706A | 2 | BRACKET, Mounting | |
| 49 | 1664847 | 4 | SCREW, Hex, Washer Head, Taptite, 5/16 - 18 x 3/4 | |
| 50 | 1916621 | 2 | NUT, Hex Machine Screw | |
| 51 | 1726327 | 1 | SPRING, Extension | |
| 52 | 1935048 | 5 | NUT, Hex Flange, 5/16 - 18, Two-Way Lock | |
| 53 | 1708360 | 1 | SPRING | |
| 54 | 1725166 | 1 | ROD, Brake | |
| 55 | 1921210 | 1 | CAPSCREW, Hex Head, 3/8 - 16 x 1 G5 | |
| 56 | 1726559 | 1 | ROD, End | |
| 57 | 1725736A | 1 | LEVER, Control | |
| 58 | 1930645 | 1 | NUT, Hex Flange, 3/8 - 16, Two-Way Lock | |
| 59 | 1925205 | 1 | CAPSCREW, Hex Head, 5/16 - 18 x 5/8 G5 | |
| 60 | 1725167 | 1 | ROD, Control | |
| 61 | 1722460 | 2 | PIN, Quick | |
| 62 | 1918447 | 6 | PIN, Cotter | |
| 63 | 2860709 | 1 | SCREW, Hex, Whiz Lock, Flange, 3/8 - 16 x 1-3/4 | |
| 64 | 1666804 | 1 | SPACER | |
| 65 | 2821133 | 1 | FITTING, Lube, 1/4 Drive | |
| 66 | 1725768A | 1 | SHAFT & ARMS ASSEMBLY, Pivot | |
| 67 | 1709220 | 1 | CLUTCH, Rear | |
| 68 | 1708366 | 1 | BAR, Torsion | |
| 69 | 1709850 | 1 | TUBE | |
| 70 | 1725767 | 1 | ROD, Shift, Front | |
| 71 | 1924359 | 2 | WASHER, 1/2 | |
| 72 | 1706260 | 1 | ROD, Clutch, Front | |
| 73 | 1725620 | 1 | TRANSMISSION ASSEMBLY, Hydro Gear | |

Footnotes:




Engine Group - 13HP Briggs & Stratton Intek

| Item | Part No | Qty | Description | Note |
|------|----------|-----|---|---|
| 1 | 1960720 | 4 | CAPSCREW, Self-Tapping, #10-16 x 1/2 | |
| 2 | 1919326 | 4 | WASHER, 5/16 | |
| 3 | 1917356 | 7 | LOCKWASHER, 5/16 | |
| 4 | 1917372 | 2 | NUT, Hex, 5/16-18 | |
| 5 | 1924856 | 2 | CAPSCREW, Hex Head, Taptite, 5/16-18 x 1/2 | |
| 6 | 1724426A | 1 | DUCT, R.H., Top | |
| 7 | * | 1 | * ENGINE, Briggs & Stratton, 13HP, Model 21A907922858 | |
| 8 | 1709055 | 1 | SEAL, Air Inlet | |
| 9 | 1931277 | 3 | NUT, Flange, Whizlock, 5/16-18 | |
| 10 | 1708405 | 1 | VALVE, Shut-Off | |
| 11 | 1933263 | 2 | WASHER, Plain | |
| 12 | 1704419 | 2 | BELT STOP | also shown on tramission group page |
| 13 | 1701011 | 1 | TIE, Self Locking | used to tie clutch wire to clutch & away from |
| 14 | 1922755 | 2 | WASHER, 3/8 | |
| 15 | 2860361 | 1 | CAPSCREW, Taptite, 3/8-16 x 2 | |
| 16 | 1933988 | 1 | PUSH NUT, 5/16-18 | |
| 17 | 1933689 | 1 | CAPSCREW, Hex, Whizlock, Flange, 5/16-18 x 1-1/2 | |
| 18 | 2171241 | 1 | ** KEY | |
| 19 | 1709218 | 1 | PULLEY, Engine | also shown on transmission group page |
| 20 | 1708537 | 1 | SLEEVE, Clutch Anchor | |
| 21 | 1686882 | 1 | CLUTCH, Electric, Kit | |
| 22 | 1960370 | 1 | CAPSCREW, Hex Head, 7/16-20 x 2-1/2 | |
| 23 | 3031319 | 1 | LOCKWASHER, 7/16 | Was 1918199 |
| 24 | 1930598 | 2 | CAPSCREW, Taptite, 3/8-16 x 1-1/2 | |
| 25 | 1650670 | 1 | GASKET, Muffler | |
| 26 | 1724466 | 1 | PIPE, Exhaust | |
| 27 | 1936228 | 2 | CAPSCREW, Socket Head, 5/16-18 x 3/4 | |
| 28 | 1960748 | 1 | CARRIAGE BOLT, 5/16-18 x 3-1/4 | |
| 29 | 1676183 | 1 | CLAMP, Muffler | |
| 30 | 1960568 | 2 | CAPSCREW, Hex Head, 1/4-20 x 7/8 | |
| 31 | 1724428A | 1 | SUPPORT, Muffler | |
| 32 | 1935255 | 1 | SPEED NUT, 5/16-18 | |
| 33 | 1708416 | 1 | MUFFLER ASSEMBLY | |
| 34 | 1724427A | 1 | DUCT, L.H. | |
| 35 | 1713846 | 1 | KNOB, Throttle | |
| 36 | 1714040 | 1 | THROTTLE CONTROL ASSEMBLY | |
| 37 | 1960536 | 2 | SCREW, Plastite, 1/4-10 x 1/2 | |

Footnotes:

Note* See your local Briggs & Stratton distributor for parts

Note** Key MUST be installed as shown to prevent damage to e



Engine Group - 13HP Briggs & Stratton Intek


| Item | Part No | Qty | Description | Note |
|-------------|----------------|------------|---|-------------|
| 38 | 1704344 | 1 | CABLE, Choke Control | |
| 39 | 1726788 | 1 | SCREW, Hex, Washer Head, B&S #94909 | |
| 40 | 1726787 | 1 | SCREW, Thread Forming W/Washer, B&S #95220 | |
| 41 | 1708442 | 1 | STOP, Throttle (Not Pictured, Export Models Only) | |
| 42 | 2157081 | 1 | SPACER | |
| 43 | 1714040 | 1 | THROTTLE CONTROL ASSEMBLY | |
| 44 | 1718648 | 1 | SEAL, Edging | |

Footnotes:

Note* See your local Briggs & Stratton distributor for parts

Note** Key MUST be installed as shown to prevent damage to e

30" Mower Deck - Housing & Height Adjustment




30" Mower Deck - Housing & Height Adjustment

| Item | Part No | Qty | Description | Note |
|------|----------|-----|---|-------------|
| 1 | 1687157 | 1 | HOUSING ASSEMBLY, 30 (Red) | |
| 2 | 7101082 | 1 | SPRING, Torsion | |
| 3 | 2860681 | 5 | NUT, Hex, ALUM Lock, 3/8 | |
| 4 | 1611705 | 1 | SPACER | |
| 5 | 1707300 | 1 | ROD, Adjustment | |
| 6 | 1927557 | 2 | NUT, Hex Flange Whiz Lock, 5/16-18 | |
| 7 | 1917356 | 1 | LOCKWASHER, 5/16 (Domestic Only) | |
| 8 | 1919326 | 2 | WASHER | |
| 9 | 1920397 | 4 | NUT, Hex ESNA, 1/4-20 | |
| 10 | 1921319 | 3 | WASHER, Plain 1/4 Black (Min 1 Required for Export) | |
| 11 | 1707540A | 1 | ARM ASSEMBLY, Mower | |
| 12 | 1913744 | 3 | JAMNUT, Hex, 3/8-16 | |
| 13 | 1671260 | 1 | SPACER | |
| 14 | 1707280A | 1 | TRUNNION | |
| 15 | 1655651 | 2 | PIN, Locking | |
| 16 | 1709209A | 2 | BAR, Mower Transport | |
| 17 | 1931352 | 2 | CARRIAGE BOLT, 3/8-16 x 1-1/2 | |
| 18 | 1960074 | 2 | PIN, Retaining | |
| 19 | 1960223 | 2 | CARRIAGE BOLT, 5/15-18 x 1-1/4 | |
| 20 | 1704716 | 2 | SPACER | |
| 21 | 1704873 | 1 | CLAMP | |
| 22 | 1921319 | 3 | WASHER, Plain (1 Required for Export) | |
| 23 | 1700692 | 2 | SPACER (Export) | |
| 24 | 1960518 | 2 | PUSHNUT, 1/4 | |
| 25 | 1718611 | 1 | PLUG, Hole | |
| 26 | 1708250A | 2 | PLATE, Pivot Support | |
| 28 | 2172622 | 2 | BOLT, Shoulder | |
| 29 | 7091587 | 2 | WASHER, Flat | Was 1924361 |
| 30 | 1708519A | 2 | SUPPORT ASSEMBLY, Roller | |
| 31 | 1928352 | 2 | NUT, Hex, Flange, Whizlock, 3/8-16 | |
| 32 | 1704082 | 2 | NUT, Adjustment | |
| 33 | 1924366 | 4 | WASHER, Plain, 21/32 x 1-1/8 x 7/64 | |
| 34 | 1668487 | 2 | ROLLER | |
| 35 | 1960020 | 2 | WASHER, 21/32 x 1-1/8 x 1/16 | |
| 36 | 2153124 | 2 | RING, Retaining | |
| 37 | 7091541 | 4 | CAPSCREW, Taptite, 5/16-18 x 3/4 | Was 1664847 |
| 38 | 1709282A | 1 | PLATE, Discharge (30 Mulcher) | |

Footnotes:


30" Mower Deck - Housing & Height Adjustment



30" Mower Deck - Housing & Height Adjustment

| Item | Part No | Qty | Description | Note |
|------|----------|-----|--|-------------|
| 39 | 1931333 | 2 | CARRIAGE BOLT, 5/16-18 x 3/4, G5 | |
| 40 | 1921968 | 2 | CAPSCREW, Hex, 3/8-16 x 1 3/8 | |
| 41 | 1732443 | 1 | SPACER | |
| 42 | 1715759 | 1 | ROD, Latch, Hitch | |
| 43 | 1707432A | 1 | HITCH ASSEMBLY | |
| 44 | 7091304 | 1 | CAPSCREW, Hex Head, 3/8-16 x 1 | Was 1921210 |
| 45 | 2156302 | 1 | SPRING | |
| 46 | 1931317 | 2 | CARRIAGE BOLT, 1/4-20 x 3/4 | |
| 47 | 1931320 | 2 | CARRIAGE BOLT, 1/4-20 x 1-1/4 (Export) | |
| 48 | 1664947 | 1 | ROD, Deflector | |
| 49 | 1705449 | 1 | DEFLECTOR, Plastic | |
| 50 | 7090122 | 2 | WASHER, Flat 3/8 (Domestic Only) | Was 1924940 |

Footnotes:





30" Mower Deck - Drive & Arbor

| Item | Part No | Qty | Description | Note |
|------|----------|-----|--|-------------|
| 1 | 1719746 | 1 | V-BELT (HA 73.24 Aramid) | |
| 2 | 1714419 | 1 | NUT, Hex Flange, 9/16-18 | |
| 3 | 1713675 | 2 | WASHER, Belleville | |
| 4 | 1713092 | 1 | PULLEY | |
| 5 | 1713613 | 1 | HUB, Pulley, 1-3/16 | |
| 6 | 1960373 | 6 | CAPSCREW, Hex Head, Taptite, 5/16-18 x 1 | |
| 7 | 1677274A | 1 | ADAPTER, Arbor | |
| 8 | 1707335 | 1 | GASKET, Foam | |
| 9 | 1713338A | 1 | HOUSING ASSEMBLY, Arbor Bottom, w/Lube Fitting | |
| 10 | 1704314 | 1 | FITTING, Grease | |
| 11 | 1705897 | 2 | BEARING | |
| 12 | 1732543 | 1 | SPACER | |
| 13 | 1713199A | 1 | COVER, Arbor Housing | |
| 14 | 1713619 | 1 | WASHER, Cupped | |
| 15 | 1713609 | 1 | SHAFT, Arbor, 5-53/64 | |
| 16 | 1713196 | 1 | SHIELD, Grass, Lower | |
| 17 | 1664019A | 1 | BLADE, Mower, 30 | |
| 18 | 1713089 | 1 | WASHER, Hex | |
| 19 | 1656916 | 1 | WASHER, Spring | |
| 20 | 2823471 | 1 | CAPSCREW, Hex Head, 7/16-14 x 1, GR 8 | |
| 21 | 1923903 | 1 | CAPSCREW, Hex Head, 3/8-16 x 3 | |
| 22 | 1924356 | 2 | WASHER, Flat, 3/8 x 1-1/2 x 1/8 | |
| 23 | 1715435 | 1 | SPRING | |
| 24 | 1669105 | 1 | SPACER | |
| 25 | 1708562 | 1 | LEVER ASSEMBLY | |
| 26 | 7090122 | 2 | WASHER, Plain, 3/8 | Was 1924940 |
| 27 | 1707435 | 1 | PULLEY ASSEMBLY Idler, Fixed, 6 Dia. | |
| 28 | 1928352 | 1 | NUT, Hex, Whizlock, 3/8-16 | |
| 29 | 1665835 | 1 | GRIP, Lever | |
| 30 | 1923701 | 1 | CAPSCREW, Hex Head, 3/8-16 x 2 | |
| 31 | 1922755 | 3 | WASHER, 13/32 x 1 x 1/8 | |
| 32 | 1704926 | 1 | IDLER PULLEY, Backside | |
| 33 | 3031008 | 1 | LOCKWASHER, 3/8 | Was 1916965 |
| 34 | 3031009 | 1 | NUT, Hex, 3/8 | Was 1916950 |
| 35 | 1928731 | 1 | NUT, Hex, Lock, 3/8-16 | |

Footnotes:


(Includes Ref. No. 10)



NORTH AMERICAN MODELS





CE MODELS



2

2

6



5 — **SNAPPER**

17 — **RT1330**

13hp

9

13



12

16




Decals Group

| Item | Part No | Qty | Description | Note |
|------|---------|-----|---|------|
| 1 | | 1 | * DECAL, C E, (Export Only) | |
| 2 | 1726336 | 1 | DECAL, Operating Instruction, English | |
| 2 | 1726347 | 1 | DECAL, Operating Instruction (CE/Export Only) | |
| 2 | 1726957 | 1 | DECAL, Operating Instructions, Export | |
| 3 | 1708927 | 1 | DECAL, USA (Seat Back) (CE/Export Only) | |
| 4 | 1726335 | 1 | DECAL, Belt & Blade Replacement | |
| 5 | 7073905 | 2 | DECAL, Snapper Logo | |
| 6 | 1726341 | 1 | DECAL, Transmission Release (Hydro models only) | |
| 7 | 1725072 | 1 | DECAL, Touch-up Pain, Red & Gray | |
| 8 | | 1 | * I.D. PLATE (Not Serviced) | |
| 9 | 1722778 | 1 | DECAL, 13 HP | |
| 10 | 1714435 | 1 | DECAL, Throttle / Choke | |
| 10 | 1719183 | 1 | DECAL, Throttle | |
| 11 | 1722771 | 1 | DECAL, Free Floating Mower | |
| 12 | 1704276 | 1 | DECAL, Danger, Rotating Cutting Blade | |
| 13 | | 1 | * DECAL, OPEI, (Not Serviced) | |
| 14 | 1722785 | 1 | DECAL, Cutting Width - 30 , Silver on Black | |
| 15 | 1720389 | 2 | DECAL, Danger, Rotating Blades (CE/Export Only) | |
| 16 | 1704277 | 1 | DECAL, Danger, Chute In Place | |
| 17 | 1726337 | 2 | DECAL, Model RT1330 | |
| 18 | 1722806 | 1 | DECAL, Ignition Switch | |
| 19 | | 1 | * DECAL, Decibel, Power Mass (CE/Export Only) | |

Footnotes:

Note* Not a servicable part.




Electrical Group

| Item | Part No | Qty | Description | Note |
|------|---------|-----|---|-------------|
| 1 | 1713163 | 1 | CABLE, Battery to Ground | |
| 2 | 2816964 | 2 | WASHER, Lock, 1/4 | |
| 3 | 2816622 | 3 | NUT, Hex 1/4-20 | |
| 4 | 1677296 | 1 | BOOT, Insulator | |
| 5 | 1713163 | 1 | CABLE, Battery to Solenoid (Briggs & Stratton Models) | |
| 6 | 1685215 | 1 | BATTERY | |
| 7 | 1665872 | 1 | STRAP, Battery | |
| 8 | 1667805 | 1 | BRACE, Battery | |
| 9 | 2823341 | 2 | CAPSCREW, Hex Head, 1/4-20 x 3/4 | |
| 10 | 2821319 | 2 | WASHER | |
| 11 | 2820427 | 1 | WASHER, Lock, External Tooth, 3/8 | |
| 12 | 2816950 | 1 | NUT, Hex, 3/8-16 | |
| 13 | 1726556 | 1 | MODULE, Reverse Mowing | |
| 14 | 1718948 | 1 | WIRE ASSEMBLY, Harness to Engine (Briggs & Stratton Only) | |
| 15 | 1717050 | 1 | SWITCH, Neutral Start | |
| 16 | 1722035 | 2 | POP-RIVET | |
| 17 | 1732004 | 1 | SWITCH, Push Button (N.O.) | |
| 18 | 2825094 | 2 | TIE, Self-Locking | |
| 19 | 1686981 | 1 | SOLENOID | Was 1724815 |
| 20 | 1925003 | 2 | CAPSCREW, Hex Head, Taptite, 1/4-20 x 1/2 | |
| 21 | 1665238 | 1 | CIRCUIT BREAKER | |
| 22 | 1665237 | 1 | WIRE ASSEMBLY | |
| 23 | 2820426 | 1 | LOCKWASHER, 5/16 Yellow | |
| 24 | 2122023 | 3 | COVER, Terminal | |
| 25 | 2820263 | 2 | NUT, Hex, 5/16-24 | |
| 26 | 1709088 | 1 | CABLE, Solenoid to Starter | |
| 27 | | 1 | ** SWITCH, Ignition (6 pole) | |
| 28 | 1960547 | 1 | WASHER, Internal Tooth, 5/8 | |
| 29 | 1717549 | 1 | NUT | |
| 30 | 1717550 | 1 | COVER, Keyswitch | |
| 31 | 1717163 | 1 | KEYS (Set of 2 Keys) | |
| 32 | 1714771 | 1 | SWITCH, Seat | |
| 33 | 1722887 | 1 | * SWITCH, PTO, Electric Clutch | |
| 34 | 1726667 | 1 | WIRE HARNESS, Clutch | |
| 35 | 1718946 | 1 | HARNESS, Wiring (No Reverse Mowing Option) | |
| 35 | 1726654 | 1 | HARNESS, Wiring (With Reverse Mowing Option) | |

Footnotes:

Note* If connection blades do not line up use 1686620 Switch

Note** See reference number 41. Sold as assembly.



Electrical Group

| Item | Part No | Qty | Description | Note |
|-------------|----------------|------------|--|--------------------|
| 36 | 1686734 | 1 | IGNITION KEY SWITCH ASSEMBLY | |
| 37 | 1734025 | 1 | WIRING ASSEMBLY, All Conditions Shutdown | <i>(CE/Export)</i> |
| 38 | 2823341 | 2 | CAPSCREW, Hex head 1/4-20 x 3/4 | |
| 39 | 7090395 | 1 | WASHER, Lock, External Tooth, 5/16 | <i>Was 920426</i> |
| 40 | 1612103 | 1 | TUBE, Vent (Early Models Only) | |

Footnotes:

Note* If connection blades do not line up use 1686620 Switch

Note** See reference number 41. Sold as assembly.

Parts Manual for

SNAPPER®

***REAR ENGINE RIDER
HYDRO DRIVE RT
SERIES 0***

IT IS THE POLICY OF BRIGGS & STRATTON CORP TO IMPROVE ITS
PRODUCTS WHENEVER IT IS POSSIBLE AND PRACTICAL TO DO SO.
WE RESERVE THE RIGHT TO MAKE CHANGES OR ADD
IMPROVEMENTS AT ANY TIME WITHOUT INCURRING ANY
OBLIGATION TO MAKE SUCH CHANGES ON PRODUCTS

SNAPPER® McDonough, GA, 30253 U.S.A.